

Estb Since: 1988



A. REHMAN & SONS[®]

CHEMICAL & GENERAL ORDER SUPPLIER



COMPANY PROFILE

**LAUNDRY, STEWARDING
&
HOUSE KEEPING
PRODUCTS**

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



Estb Since: 1988

A. REHMAN & SONS[®]
CHEMICAL & GENERAL ORDER SUPPLIER

**Commercial &
On-Premise Laundry
Stewarding & House Keeping
Chemicals**

We Are Looking For

DISTRIBUTORS

In Certain Countries & Cities
Full Sales & Technical Support
Given Pakistan

Please Contact us at
+92 300 8502997

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

Specialise in Supplying
LAUNDRY PRODUCTS
for
COMMERCIAL
&
ON-PREMISE LAUNDRIES
STEWARDING & HOUSE KEEPING
Products

YOU CAN RECEIVE

High Performance, Cost Effective,
Laundry Chemicals
Technical Support
Easy to Handle Containers
Products Specially Manufactured for use
in Commercial & on-Premise Laundries.
35-Years Experience in Laundry Industry
Quick Delivery

A. Rehman & Sons

Give
You
**QUALITY
VALUE
SERVICE**

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

COMPANY PROFILE

A. Rehman & Sons was founded in 1988 & since then has developed & manufactured high quality **Commercial & On-Premise Laundry, Stewarding & House Keeping** detergents & ancillary products in its purpose built factory.

We have established our reputation upon the belief that consistency in quality is essential. We use only raw materials which pass stringent quality & performance tests & which sourced from reputable & reliable suppliers. Every batch we manufacture is tested in our own Quality Control Laboratory to ensure that it meet specification before leaving the factor.

A. Rehman & Sons products are formulated in our research & development laboratory. Our area technical & sales managers, who are all experienced in laundry operations, recommend the most appropriate products from our extensive range to achieve the best & the most cost effective results for our customers. We provide full technical support.

Our technology covers liquid detergents. Our liquid feed systems were developed 35 years ago & we were almost first liquid detergent manufacturer in the Region to develop a water flush delivery system for liquid detergents.

A. Rehman & Sons manufactures a full range of biological products which are specially formulated without caustic. Our products therefore provide not only greater safety for your employees but also extend the life of your linen & machinery.

**Quality, Good Services, Quantity, High Performance &
Cost Effective Products are Central to Our Business.**

We Look Forward Hearing From You



Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS®

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

CERTIFICATES of EXCELLENCE



We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

HAND FEED PACKAGING

PRODUCT	Packaging
ZEPOL SC100 LOW FOAM	25 kg Sack
ZEPOL SC100	25 kg Sack
ZEPOL SC100 X	25 kg Sack
ZEPOL SC10	25 kg Sack
ZEPOL SC10 LOW FOAM	25 kg Sack
ZEKLOR SS	25 kg Sack
ZEKLOR O	25 kg Sack
D.SOUR ZX	25 kg Sack
SOFTNER C.N.A	25 kg Sack
WHITENER BRIGHTENER	25 kg Sack

LIQUIDS FOR AUTOMATIC DOSING SYSTEMS

ZEPOL SC 10	25 kg Sack
ZEPOL SC 100	25 kg Sack
ZEPOL SC 100 EMULSIFIER	25 kg Sack
ZEKLOR O	25 kg Sack
D.SOUR ZX	25 kg Sack
ZESOFT	25 kg Sack

SPOTTING AGENTS

ZEPOL SOFT ON BLUE	5 kg Cane
ZEPOL SOFT ON YELLOW	5 kg Cane
ZEPOL SOFT ON RED	5 kg Cane
ZEPOL SOFT ON GREEN	5 kg Cane
ZEPOL SOFT ON BROWN	5 kg Cane
ZEPOL SOFT ON WHITE	5 kg Cane

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC 100 EXTRA

High Performance, Synthetic, Single Shot Detergent Liquid

DESCRIPTION

Zepol SC100 Extra is a full built, synthetic detergent liquid specially formulated as a single shot machine product for medium to high temperature processes. It is extremely effective on white work and fast coloured and is suitable for all levels of soiling encountered in linen and garment hire work.

HIGH PERFORMANCE

Zepol SC100 Extra is based on a blend of anionic and nonionic detergents which have been specially selected for their excellent wetting out and emulsifying properties. The product is fully built and contains a blend of alkalies and complex phosphates to cope with heavy soiling and hard water Salts.

Zepol SC100 Extra contains sodium carboxymethyl cellulose, highly efficient soil suspending agent to prevent redeposition onto the fibers. Also incorporated is a high quality optical brightening agent, specially chosen because of its resistance to subsequent treatments with hypochlorite bleach.

Zepol SC100 Extra is a universal mainline product suitable for use in all types of machinery and on all levels of soiling without the necessity to add other product.

Zepol SC100 Extra is very effective product in both hard and soft water

FREE FLOWING

Zepol SC100 Extra is a white, free flowing Liquid

ECONOMICAL

For average soiling **Zepol SC100 Extra** should be added to the wash process at the rate of 450gm per 45kg dry weight of fabric. Stock solution should be mixed at the rate of 50gm per litre.

PACKAGING: **Zepol SC100 Extra** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC 100 EXTRA

High Performance, Synthetic, Single Shot Detergent Liquid

DESCRIPTION

Zepol SC100 Extra is a full built, synthetic detergent liquid specially formulated as a single shot machine product for medium to high temperature processes. It is extremely effective on white work and fast coloured and is suitable for all levels of soiling encountered in linen and garment hire work.

HIGH PERFORMANCE

Zepol SC100 Extra is based on a blend of anionic and nonionic detergents which have been specially selected for their excellent wetting out and emulsifying properties. The product is fully built and contains a blend of alkalies and complex phosphates to cope with heavy soiling and hard water Salts.

Zepol SC100 Extra contains sodium carboxymethyl cellulose, highly efficient soil suspending agent to prevent redeposition onto the fibers. Also incorporated is a high quality optical brightening agent, specially chosen because of its resistance to subsequent treatments with hypochlorite bleach.

Zepol SC100 Extra is a universal mainline product suitable for use in all types of machinery and on all levels of soiling without the necessity to add other product.

Zepol SC100 Extra is very effective product in both hard and soft water

FREE FLOWING

Zepol SC100 Extra is a white, free flowing Liquid

ECONOMICAL

For average soiling **Zepol SC100 Extra** should be added to the wash process at the rate of 450gm per 45kg dry weight of fabric. Stock solution should be mixed at the rate of 50gm per litre.

PACKAGING: **Zepol SC100 Extra** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

ZEPOL SC 10

High Performance Detergent Liquid

DESCRIPTION

Zepol SC10 is a full built, has a sophisticated formulation based on anionic and nonionic detergents and contains a modern, high quality, proteolytic enzyme preparation. The product may be used as a pre-wash or total wash product and is formulated to remove proteinaceous soiling such as a blood, milk and food stains at low to medium temperatures. Suitable on a wide range of classification.

HIGH PERFORMANCE

Zepol SC10 is most effective at a wash temperature of 60°C. A blend of alkalis is incorporated in **Zepol SC10** to give the required wash alkalinity, together with complex phosphates to sequester hard water salts. The product contains soil suspending agents to prevent redeposition and a special system of optical brightening agents chosen for their effectiveness on both cotton and synthetic fibers. The optical brighteners are also resistant to subsequent treatment with hypochlorite bleach.

FREE FLOWING

Zepol SC10 is a white, free flowing Liquid

ECONOMICAL

Usage quantities depend on the degree contamination. As a guide, **Zepol SC10** should be added to the wash process at the rate of 600-900 gm per 45kg dry weight

**DO NOT USE CHLORINE BLEACH BEFORE OR DURING
THE ZEPOL SC10 WASH**

PACKAGING: **Zepol SC10** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

ZEKLOR SS

Stabilised, Organic Chlorine Release Agent

DESCRIPTION

Zeklor SS is stable, free flowing liquid carefully formulated from organic chlorine release agents & complex polyphosphate. Safer to use than hypochlorite, **Zeklor SS** is easy to handle, highly soluble & ideal for use in automatic feeding equipment, including flush-in feeders on washer extractor units.

HIGH PERFORMANCE

Zeklor SS is specially formulated to be stable in all climate conditions. On dissolving in water, the release agent immediately forms the active hypochlorite bleaching species whilst the complete polyphosphate provide water softening properties and the correct pH for optimum bleaching efficiency. Fabric damage spillage is eliminated, greatly reducing linen replacements.

FREE FLOWING

Zeklor SS is a white, free flowing Liquid

ECONOMICAL

Usage quantities depend on the degree staining. As a guide, **Zeklor SS** should be added to the wash process at the rate of 165-330 gm per 45kg dry weight of fabric.

PACKAGING: **Zeklor SS** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEKLOR G

Oxygen Bleach Release Agent

DESCRIPTION

Zeklor G is an oxygen release bleaching liquid incorporating alkaline builders and an optical brightening agent. It is designed to bleach at all temperature, giving high standards of stain removal and colour retention on white work. The maximum bleaching efficiency is achieved at temperatures above 60°C.

HIGH PERFORMANCE

Zeklor G is based on a high effective oxidising agent which provides a steady, controlled, bleaching action, resulting in good stain removal with minimum fabric damage.

Colour loss is negligible & **Zeklor G** helps conserve the life & appearance of coloured linen. The formulation contains a high quality optical brightening agent to increase the overall whiteness of the work & to improve colour retention.

Zeklor G is also very effective at removing mildew when used as a soaking additive.

FREE FLOWING

Zeklor G is a white, free flowing Liquid.

ECONOMICAL

Usage quantities depend on the degree soiling. As a guide, **Zeklor G** should be added to the wash process at the rate of 150-250 gm per 45kg dry weight of fabric. For overnight soaking add 1kg per 45 kg dry weight of fabric.

PACKAGING: **Zeklor G** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC 100 X

High Performance Emulsifier

**Recommended for use in Commercial and on Premise
Laundries**

DESCRIPTION

Zepol SC100 X is removing heavy soiling from all types of linen synthetic fabrics such as polyester, nylon and Terylene.

Zepol SC100 X is compatible with all conventional detergents.

HIGH PERFORMANCE

Zepol SC100 X is a highly active blend of non-ionic and anionic detergents specially developed to emulsify a wide range of oils and greases.

Zepol SC100 X produces excellent results on table linen and kitchen overalls as well as garments contaminated in engineering works and garages.

For best results, Zepol SC100 X should be used in conjunction with one of Zepol SC100 X many high quality detergents.

FREE FLOWING

Zepol SC100 X is a white, free flowing Liquid

ECONOMICAL

Usage quantities depend on the degree of soiling. As a guide add 500-800 gm of Zepol SC100 X per 45kg dry weight of fabric.

PACKAGING: Zepol SC100 X is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.

Tel: 051-5503203, Fax: 051-5953130

Mob: 0321-8502997, 0333-2158113

E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

D.SOUR ZX

Alkali Neutraliser and Anti-Chlor

DESCRIPTION

D.Sour ZX is an alkali neutralising agent which also functions as an anti-chlor. It prevents yellowing of articles on presses and finishing machines caused by residual alkalinity left in the linen from the rising processes or from alkalinity in the main water supply.

HIGH PERFORMANCE

(Test have shown that) there is no loss of tensile strength of the linen after repeated processing and there is no interference with finishes such as starch or softness.

D.Sour ZX is an effective anti-chlor and neutralises free chlorine in the rinse liquor. It may be used in tunnel washer contraflow processes when an anti-chlor is recommended.

FREE FLOWING

D.Sour ZX is a white to cream, free flowing Liquid

ECONOMICAL

Usage quantities depend on the degree of residual alkalinity. As a guide **D.Sour ZX** should be added at the rate of 150-200 gm per 45kg dry weight of fabric to low dip final rinse. Run for a minimum minutes.

As a guide **D.Sour ZX** should be added at the rate of 150-200 gm per 45kg dry weight of fabric to low dip final rinse. Run for a minimum 5 minutes.

PACKAGING: **D.Sour ZX** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

Lavender ZESOFT C.N.A.

Concentrated Fabric Conditioner
Recommended for use in
Commercial and On-Premise Laundries

DESCRIPTION

Lavender ZESOFT C.N.A. is a concentrated blend of cationic fabric conditioners suitable for use in the last rinse on all types of fabrics.

HIGH PERFORMANCE

The advanced formulation of **Lavender ZESOFT C.N.A.** Imparts a soft handle to all natural and synthetic fibers. It is based on a specialised compound which is readily attracted to the fibers to produce a high degree of softening.

Lavender ZESOFT C.N.A. has a pleasant perfume which is sustained throughout the drying cycle.

FREE FLOWING

Lavender ZESOFT C.N.A. is an opaque, free flowing Lavender coloured liquid with a pleasant lavender perfume.

ECONOMICAL

Usage quantities depending on the desire degree of softness. As a guide **Lavender ZESOFT C.N.A.** should be added at the rate of 200-450 gm per 45kg dry weight of fabric.

PACKAGING: **Lavender ZESOFT C.N.A.** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®] **LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS**

SPECIALIST LAUNDRY TECHNOLOGY

To cope with other changing demands associated with washing a wide range of classifications at various temperatures, **A. Rehman & Sons** have developed a range of Laundry Chemicals to cope with wash temperatures between 40°C - 90°C. **A. Rehman & Sons** Multi Temp Technology & high Quality Products not only reduce the demand of additional products in the Laundry but also give more flexibility with wash process.

The Multi Temp range of Laundry Chemicals is suitable for use in Commercial & On-Premise Laundries, where detergent costs are a critical factor & quality is not compromised. Multi Temp Laundry Detergent is a high performance, fully built, non-biological, liquid detergent, specially formulated for washing a wide range of classifications. It does not contain enzymes, phosphates or bleaches, making the product suitable for even delicate fabrics.

The addition of Multi Temp Laundry Boost highly concentrated, liquid detergent which is free of OBA, enzymes, phosphates and bleaches. Multi Temp **A. Rehman & Sons** last rinse sanitizer which kills MRSA & other bacteria & Multi Temp Laundry Emulsifier which break down & remove proteinaceous substances such as blood, milk & food stains Laundry Fabric Softener & Liquid Sour complement the range.

A. Rehman & Sons new multi temp Technology is proving extremely successful in the Healthcare, Hospitality, Leisure & Education sectors, particularly because it offers significantly higher levels of flexibility.

At a time when the Laundry Industry is seeking to reduce energy costs & improve productivity, Multi Temp Technology & High Quality Products help to achieve these goals & still maintain high wash quality.

All products are supplied in easy to handle containers.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.

Tel: 051-5503203, Fax: 051-5953130

Mob: 0321-8502997, 0333-2158113

E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®] **LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS**

QUALITY LAUNDRY CARE

**ZEPOL SC100 SPECIAL LAUNDRY DETERGENT (LOW FOAM)
WASHES EFFECTIVELY BETWEEN 40oC & 90oC**

DESCRIPTION

Zepol SC100 Special Laundry Detergent is a high performance, fully built, non-biological detergent, specially formulated for washing at a wide range of temperatures, **Zepol SC100 Special Laundry Detergent** is suitable for use in healthcare establishments, Hotels, Schools, where detergent costs are critical factor & quality is not comprised.

Zepol SC100 Special Laundry Detergent does not contain enzymes, phosphates or bleaches, making the product suitable for even delicate fabrics.

Zepol SC100 Special Laundry Detergent is extremely powerful & cost effective.

HIGH PERFORMANCE

Zepol SC100 Special Laundry Detergent formulation has excellent wetting out and soil removal properties, including a soil suspending agent to prevent the re-deposition of removed soil. A high quality optical brightening agent is incorporated to enhance whiteness and brighten colours.

FREE FLOWING

Zepol SC100 Special Laundry Detergent is a light blue, free flowing liquid.

ECONOMICAL

ONLY ONE PRODUCT NEED FOR HOT AND COLD WASHING

Usage quantities required depend on the degree of soil. As a guide **Zepol SC100 Special Laundry Detergent** should be added at the rate of 80-200 gm per 10kg dry weight of fabric.

PACKAGING **Zepol SC100 Special Laundry Detergent** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY LAUNDRY CARE

ZEKLOR G EXTRA Laundry Boost

DESCRIPTION

ZEKLOR G EXTRA Laundry Boost is highly concentrated, liquid alkali booster and stain buster activator.

ZEKLOR G EXTRA Laundry Boost is specially manufactured for use in healthcare, establishments, Hotels, Schools and any establishments with an on premise laundry.

HIGH PERFORMANCE

ZEKLOR G EXTRA Laundry Boost is specially formulation for use on white and colour fast fabrics.

When added to the wash **ZEKLOR G EXTRA Laundry Boost** gives outstanding soil removal and exceptionally high quality results at a wide range of temperatures.

FREE FLOWING

ZEKLOR G EXTRA Laundry Boost is a pale amber, free flowing liquid.

ECONOMICAL

Usage quantities depend on the degree of soiling. As a guide **ZEKLOR G EXTRA Laundry Boost** should be added at the rate of 60-200 gm per 10kg dry weight of fabric.

PACKAGING **ZEKLOR G EXTRA Laundry Boost** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.

Tel: 051-5503203, Fax: 051-5953130

Mob: 0321-8502997, 0333-2158113

E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

QUALITY LAUNDRY CARE

ZEPOL SC10 (HIGH FOAM)

DESCRIPTION

ZEPOL SC10 (High Foam) is specially formulated to remove heavy oil and grease soiling from natural fabrics and synthetic fabrics such as polyester, nylon and Terylene.

ZEPOL SC10 (High Foam) is specially manufactured for use in healthcare, establishments, Hotels, Schools and any establishments with an on premise laundry.

ZEPOL SC10 (High Foam) is extremely powerful & cost effective.

HIGH PERFORMANCE

ZEPOL SC10 (High Foam) is a highly active blend of nonionic detergents specially chosen for their ability to emulsify a wide range of oils and greases.

ZEPOL SC10 (High Foam) can be used across entire temperature ranges.

FREE FLOWING

ZEPOL SC10 (High Foam) is a free flowing, colourless, semi-viscous liquid.

ECONOMICAL

Usage quantities depend on the degree of soiling. As a guide **ZEPOL SC10 (High Foam)** should be added at the rate of 30-60 gm per 10kg dry weight of fabric.

PACKAGING **ZEPOL SC10 (High Foam)** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY LAUNDRY CARE

ZEKLOR O Oxygen Bleach

DESCRIPTION

ZEKLOR O Oxygen Bleach is a 130 volume oxygen release bleach liquid which is extremely effective on white and coloured work.

ZEKLOR O Oxygen Bleach is specially manufactured for use in healthcare, Hotels, establishments, Schools and any establishments with an on premise laundry.

ZEKLOR O Oxygen Bleach (High Foam) is extremely powerful & cost effective.

HIGH PERFORMANCE

ZEKLOR O Oxygen Bleach is most effective at temperatures in excess of 60°C, although if lower temperatures are desired good stain removal can be achieved if the wash time is increased to compensate for the reduction in temperature.

ZEKLOR O Oxygen Bleach is fabric safe and does not cause coloured work to fade.

FREE FLOWING

ZEKLOR O Oxygen Bleach is a clear, colourless free flowing liquid.

ECONOMICAL

Usage quantities depend on the degree of soiling. As a guide **ZEKLOR O Oxygen Bleach** should be added at the rate of 25-60 gm per 10kg dry weight of fabric.

PACKAGING **ZEKLOR O Oxygen Bleach** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

QUALITY LAUNDRY CARE

D-Sour ZX Extra

DESCRIPTION

D-Sour ZX Extra is an alkali neutralising agent, specially manufactured for use in healthcare, Hotels, establishments, Schools and any establishments with an on premise laundry.

HIGH PERFORMANCE

D-Sour ZX Extra prevents yellowing of articles on presses and finishing machine caused by residual alkalinity left in the linen from short rinsing processes and from high residual alkalinity in water supplies.

Tests have shown that when using **D-Sour ZX Extra** there is no loss of tensile strength of the linen after repeated precessing and that there is no interference with finishes such as starches or softeners.

FREE FLOWING

D-Sour ZX Extra is a clear, colourless free flowing liquid.

ECONOMICAL

Usage quantities depend on the degree of soiling. As a guide **D-Sour ZX Extra** should be added at the rate of 10-25 gm per 10kg dry weight of fabric.

PACKAGING **D-Sour ZX Extra** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY LAUNDRY CARE

Lavender ZESOFT S.N.A.

DESCRIPTION

Lavender ZESOFT S.N.A. is a concentrated synergistic blend of cationic fabric conditioners, specially formulated for commercial use. It is suitable for all types of fibre.

Lavender ZESOFT S.N.A. is perfumed with a blend of lavender essential oils fragrance.

HIGH PERFORMANCE

The advanced formulation of **Lavender ZESOFT S.N.A.** imparts a soft handle to all natural and synthetic fibres. It is based on a specialised compound which is readily attracted to the fibres to produce a high degree of softening.

Lavender ZESOFT S.N.A. has a pleasant perfume which is sustained throughout the drying cycle.

FREE FLOWING

Lavender ZESOFT S.N.A. is an opaque, free flowing Lavender coloured liquid with a pleasant lavender perfume.

ECONOMICAL

Usage quantities depending on the desired degree of softness. As a guide **Lavender ZESOFT S.N.A.** should be added at the rate of 200-450 gm per 45kg dry weight of fabric.

PACKAGING **Lavender ZESOFT S.N.A.** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.

Tel: 051-5503203, Fax: 051-5953130

Mob: 0321-8502997, 0333-2158113

E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC100 X Wash Process

Formula 1 Hot Wash - Heavy Soiled

Stage	Time (Min)	Dip	Temp (oC)	Product	Dosage
Pre Wash	4	Low	35	ZEPOL SC100X	80gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Main Wash	6	Low	90	ZEPOL SC100X ZEKLOR G ZEKLOR O	220gm 220gm 75gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 1	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 2	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 3	2	High	Cold	ZESOFT C.N.A.	150gm
Drain	1	-	-	-	-
High Extract	5	-	-	-	-

Total Process Time = 30 minutes plus heat up time

Load Weight 22kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC100 X Wash Process

Formula 2 Medium Wash - Medium Soiled

Stage	Time (Min)	Dip	Temp (oC)	Product	Dosage
Pre Wash	4	Low	35	ZEPOL SC100X	80gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Main Wash	8	Low	60	ZEPOL SC100X ZEKLOR G ZEKLOR O	220gm 220gm 75gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 1	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 2	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 3	2	High	Cold	ZESOFT C.N.A.	150gm
Drain	1	-	-	-	-
High Extract	5	-	-	-	-

Total Process Time = 32 minutes plus heat up time

Load Weight 22kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC100 X Wash Process

Formula 3 Colour Wash - Medium Soiled

Stage	Time (Min)	Dip	Temp (oC)	Product	Dosage
Pre Wash	4	Low	35	ZEPOL SC100X	80gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Main Wash	8	Low	40	ZEPOL SC100X ZEKLOR G ZEKLOR O	220gm 220gm 75gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 1	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 2	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 3	2	High	Cold	ZESOFT C.N.A.	150gm
Drain	1	-	-	-	-
High Extract	5	-	-	-	-

Total Process Time = 32 minutes plus heat up time

Load Weight 22kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

ZEPOL SC100 X Wash Process

Formula 4 Warm Wash - Starch Work

Stage	Time (Min)	Dip	Temp (oC)	Product	Dosage
Pre Wash	4	Low	35	ZEPOL SC100X	80gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Main Wash	8	Low	60	ZEPOL SC100X ZEKLOR G ZEKLOR O	220gm 220gm 75gm
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 1	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 2	2	High	Cold	-	-
Drain	1	-	-	-	-
Inter Spin	1	-	-	-	-
Rinse 3	2	Low	Cold	Laundry Powder Starch	200gm
Drain	1	-	-	-	-
High Extract	5	-	-	-	-

Total Process Time = 35 minutes plus heat up time

Load Weight 22kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

ZEPOL SC100 X Wash Process

Formula 5 Warm Wash - Quick Wash - Light/Medium Soil

Stage	Time (Min)	Dip	Temp (oC)	Product	Dosage
Main Wash	5	Low -	60	ZEPOL SC100X ZEKLOR G	165gm 165gm
Drain	1	-	-		-
Inter Spin	1	Low	-		-
Rinse 1	2		Cold		-
Drain	1	-	-		-
Inter Spin	1	-	-		-
Rinse 2	3	High	Cold	ZESOFT C.N.A.	175gm
Drain	1	-	-		
High Extract	5	-	-		

Total Process Time = 20 minutes plus heat up time

Load Weight 22kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY KITCHEN CARE

ZEPOL AB & ZEPOL LEMON

1.1 ZEPOL AB DESCRIPTION:

Zepol AB heavy duty liquid a very high quality 100% naturally derived detergent made entirely from replenishes able naturel resources. Use on dishes, pots, pans and fine washables. Outstanding cleaning action even in cold greasy water. Very gentle to skin, benzene free no hazard on body.

DIRECTION:

Dishes and Glass ware

- i Add 500g of Product per 10 Liter water.
- ii Adjust amount as needed

Pots and pans

- i Add 500g of Product per 4 Liter water.
- ii Adjust amount as needed

1.2 ZEPOL AB LEMON DESCRIPTION:

Pots & Pan Detergent

Premium high sudsing formulation on cleans pots, pans, dishes, silverware and utensils in manual washing applications. Highly concentrated formulation effectively cleans, greases, oils and dried foods. Synergistic blend of surfactants, penetrating agents and water conditioning detergents generate rich, long lasting sudsing action for superior cleaning results. Glassware and dishes are thoroughly cleaned and rinse free of spots. pH balanced formulation is gentle on hands. Pleasant fragrance.

DIRECTION:

Dishes and Glass ware

- i Add 500g of Product per 10 Liter water.
- ii Adjust amount as needed

Pots and Pans

- i Add 500g of Product per 4 Liter water.
- ii Adjust amount as needed

PACKAGING ZEPOLAB is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY KITCHEN CARE

TEPOL LIQUID

DESCRIPTION:

Tepol LIQUID (washing-up Liquid) known as Dishwashing Soap, Dish Detergent & Dish Soap, as a detergent used to assist in dishwashing. It is usually a highly-faoming mixture of surfactant with low skin irritation & is primary used for hand washing of glasses, plates cutlery & cooking utensils in a sink or bowl. In addition to its primary use, dishwashing liquid also has various informal applications, such as for creating use, cloth washing & cleaning oil-affected birds.

PRODUCT DESCRIPTION

Tepol LIQUID as an all purpose dishwashing formula with anti-bac and intensified grease-cutting power for faster and more efficient removal of grease, fats and oils in dishes, pots and other kitchen utensils. It comes in three varieties, namely: Citrus, Lemon and Anti-bac or Unscented **Tepol LIQUID** is used in Industrial, Household Kitchen, Hospitals, Nursing Homes, Schools & Commercial Establishments such as Restaurants, Hotels, Motels etc.

FEATURES

Tepol LIQUID has powerful degreasing action that penetrates & emulsifies heavy grease & food parties on surface to be cleaned. Grease & other films are simply washed away. **Tepol LIQUID** formulation is gentle to hands without reducing its cleaning power. **Tepol LIQUID** formulated to dissolve instantly even in hard water.

DIRECTION FOR USE

Prepare a cleaning solution of 50ml (5tbsp) of Dishwashing Liquid to ½ liter of water. Pour ample amount in a sponge, & work to lather. Use the cleaning solution to dishes, pots, glasses & chinaware rinse thoroughly & let dry.

PACKAGING : **TEPOL** is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY KITCHEN CARE

2 ZEKLOR S:

It removes coffee & tea stains completely from cups & kettles within 10 to 15 minutes.

PACKAGING

ZEKLOR S is supplied in 25kg.

3 GREASE CUTTER:

It is a concentrated heavy-duty butyl cleaner capable of stripping away grease, fats, oil and carbon Deposit from industrial kitchen.

PACKAGING

GREASE CUTTER is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

OVEN CLEANER 100X

DESCRIPTION:

For the removal of carbon deposits, grease and baked on foods from kitchen and food processing cooking equipment.

BENEFITS

SUPERIOR CLEANING ABILITY: Removing baked on grease is one of the toughest cleaning jobs imaginable, but **Oven Cleaner 100X** handles it in stride.

MAKES CLEANING EASY:

There's no hard scrubbing. **Oven Cleaner 100X** reduces most jobs to just pouring it on the area to be cleaned. The cleaner does the real work.

HIGHLY CONCENTRATED:

Just an ounce or two is enough to make cooking equipment look practically new.

MULTI-PURPOSE:

This one product cleans ovens, grills, griddles, burners, deep fat fryers, rotisseries, waffle irons, canopies, ventilating hoods, etc.

HOW TO USE:

Oven Cleaner 100X works easier and faster on hot surfaces. Heat oven to approximately 200 degrees, then turn off. Spray cleaner on areas to be cleaned. Allow to stand until soil is softened, then wipe with sponge, cloth or paper towels. Rinse with potable water. Use of steel wool will speed cleaning of stubborn areas.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.

Tel: 051-5503203, Fax: 051-5953130

Mob: 0321-8502997, 0333-2158113

E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

OVEN CLEANER 100X

GRILLS:

Warm grill to 120-150 degrees. Pour a small amount of water on grill and immediately apply on an equal amount of **Oven Cleaner 100X**. Work solution back and forth with a scraper. When soil is loosened, wipe clean with sponge, cloth or paper towels. Rinse thoroughly with potable water.

DEEP FAT FRYERS:

Drain all grease from fryer and flush with hot water. Fill with water to within 3 to 4 inches of top. Add about 4 ounces of cleaner to each gallon of water in fryer. Boil slowly for 15-20 minutes. Drain dirty solution. If necessary, scrub with potable water, then wipe dry.

SPECIFICATIONS

APPEARANCE.....	Slightly viscous liquid
ODOR.....	Pleasant
SPECIFIC GRAVITY.....	1.040 ± 0.005
DENSITY.....	8.68 ± 0.05 lb/gal
BOILING POINT.....	Near 212°F
pH.....	14.0
Flash Point.....	None to boiling
STABILITY.....	One year minimum
USDA RATING.....	A8
PRODUCT CODE.....	KOK

PACKAGING

OVEN CLEANER 100X is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

LAUNDRY, STEWARDING AND HOUSE KEEPING PRODUCTS

QUALITY HOUSE KEEPING CARE

SCALE H3 MILD

It is Most cost affective process to chemically removes scale, oil and other contaminants from heating and cooling system.

SCALE H3 MILD

- Contains effective metal inhibitor to prevent attack on ferrous metals
- Removes water scale from boilers
- Removes scale rust form condensers, evaporators, heat exchangers etc
- Easily rinsed, non volatile, water - soluble
- Can be stored for a very long time

DESCRIPTION:

SCALE H3 MILD is a liquid acid containing corrosion inhibitors, wetting agents and surface tension reducing agents. The inhibitors prevent attack of the base metal after solution of heat exchanger deposits is complete. This product is suitable for removal of calcium carbonate and magnesium salts as well as ferrous oxides from metal surfaces. **SCALE H3 MILD** acts quickly and effectively even in hard conditions without heating.

APPLICATION:

SCALE H3 MILD is recommended for descaling boilers, evaporators, condensers, heaters and coolers. It may also be applied for scale removal from steam pipes and air conditioners.

USE AND DOSING:

SCALE H3 MILD can be used by all conventional methods. However, recirculation and soaking methods have proven to be the most efficient.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY HOUSE KEEPING CARE

SCALE H3 MILD

First of all, inspect the components to be cleaned and if they are contaminated with oil, sludge or any other similar product, use either **DEGREASER HEAVY DUTY** or **SPECIAL STEP No1** as pre-cleaners. The amount of **SCALE H3 MILD** to be used depends on the extent and nature of contamination. For general cleaning, use a solution of 10-30% of **SCALE H3 MILD** in fresh water. Remember that **SCALE H3 MILD** is an acid so you should always pour acid into the water, never do the reverse! Aluminum, zinc, tin and galvanized surfaces should be avoided.

RECIRCULATION METHOD HEAT EXCHANGERS, EVAPORATORS, CONDENSERS

Heat a 10-30% solution of **SCALE H3 MILD** in water for best results (up to 50°C). Recirculate the solution through the heat exchanger by use of a pump for at least 6-10 hours and maintain solution temperature if possible. Periodically test solution acid strength and add **SCALE REMOVER LIQUID** as required. Rinse off by connecting the heat exchanger to a supply of fresh water.

SOAKING METHOD

This method will produce acceptable cleaning results where recirculation, especially on heat exchangers, cannot be arranged. Disconnect exchanger from circuit and drain. Use one of inlet/outlet connections or cleaning plugs to provide a steam feeding pipe into the exchanger. Leave uppermost connection/plug open for ventilation.

Fill the exchanger with warm water. Check the acid solution strength. Allow the product to act and periodically apply steam to maintain temperature. Thoroughly flush with fresh water.

PACKAGING

SCALE H3 MILD is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY HOUSE KEEPING CARE

CARPET SHAMPOO:

2 CARPET SHAMPOO:

Cleans the all type of carpets rugs and upholstery clean protects and freshness. Removes greasy spot and stain. The foam action gently lifts out dirt and stains quickly and effectively. Mild anti bacterial formula kills germs.

HAND SHAMPOO:

CARPET SHAMPOO is supplied in 25kg.

ZEPOL G P C:

3 ZEPOL G P C:

It is 100% naturally derived cleaner which rapidly cleans and removes soap scum, lime, scale, body oil & other deposit from shower walls and doors sinks ceramic tiles fiberglass and stainless steel. After giving the details of above mentioned chemicals products we hope that you will give good response to Purchase our products and also hope you in future you will give us an opportunity to serve your organization.

ZEPOL G P C is supplied in 25kg.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY HOUSE KEEPING CARE NATURAL HAND CLEANER

DESCRIPTION

NATURAL HAND CLEANER removes oils, grease, grime, ink, fresh paint, tar, soot and all kinds of industrial dirt from hands. The product has a neutral pH & contains glycerine to protect and soften the skin. **NATURAL HAND CLEANER** also deodorizes hands from the lingering smell of grease, oil, & paint while leaving no greasy or sticky residue on hands.

NATURAL HAND CLEANER is an effective cleaner with rich lather; yes it is mild for frequent hand washing. It is used in food establishment, hospital, food drug cosmetics, electronic manufacturing plants, public comfort rooms, homes & whenever we need to clean our hand. It made pf premium biodegradable surfactant.

(4x5) POWERFUL HAND CLEANER

- Thorough cleaning of dirt and grease
- Quickly emulsifies grease
- Neutral pH to protect the skin
- Mild soap designed for industrial use
- Can be used with or without water

APPLICATION: **NATURAL HAND CLEANER** is applied to hands.

USE AND DOSING

Use a small amount on hands and gently rub without adding any water. Rinse hands & wipe dry with a clean cloth. The cleaning procedure may be Repeated if necessary. **NATURAL HAND CLEANER** is suitable for daily use.

PACKAGING: **NATURAL HAND CLEANER** is supplied in 25kg & 5kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY HOUSE KEEPING CARE

ZEKLOR CT DESCALER

DESCRIPTION

ZEKLOR CT DESCALER is low foaming cleaner that quickly dissolves & removes lime scale, rust and other hard water deposits. Low foam **ZEKLOR CT DESCALER** can be used on acid-safe surfaces including many metals such as stainless steel and plastic in food service or industrial applications. Low foaming ideal for general de liming of equipment/appliances, descaling dish machines, coffee machine, kettles, toilets, boiler/heat ex-changers, HVAC equipment or for use cleaning in place (CIP) procedures.

FEATURES

Low Foam No Harsh odors
Safe on Metal Surface
Highly Concentrated for added economy
Articles You may Find Helpful
Smooth Moves: Getting rid of Lime Scale in your Commercial Kitchen
Killer ideas for improving Food Safety in Commercial Kitchen

DIRECTION

Read the entire label & SDS for proper use, handling & storage before

USING THIS PRODUCT.

Glassware
Use one Kg. Per gallon of water
Soak Glassware until clear of lime buildup.
Rinse thoroughly.

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

QUALITY HOUSE KEEPING CARE

ZEKLOR CT DESCALER

STEAM TABLES:

Wear Personal Protective Equipment (PPE) before use.

Turn off steam table and allow to cool

Empty or drain Water

Spray of brush full strength on heating elements.

Scrub the heating elements lightly to remove calcium & lime buildup.

If the steam table has high & low water probes, descale these items.

Rinse thoroughly & close drain (do not allow water to stand in wells for long periods of time. Water must be removed from the well & the well cleaned & dried after each use)

Dry after cleaning. Light to medium buildup in dish machines

Fill wash tank $\frac{3}{4}$ full.

Add 1 gallon of **ZEKLOR CT DESCALER** to tank

Turn on machine and circulate until free of lime deposits.

Coffee URNS:

Add 2 gallons of hot water to urn.

Add 1kg **ZEKLOR CT DESCALER** swab down interior, drain & flush thoroughly

PACKAGING

ZEKLOR CT DESCALER is supplied in 25kg

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.

Tel: 051-5503203, Fax: 051-5953130

Mob: 0321-8502997, 0333-2158113

E-mail: ar_sons@hotmail.com



A. REHMAN & SONS[®]

**LAUNDRY, STEWARDING AND
HOUSE KEEPING PRODUCTS**

OUR REPUTABLE CLIENTS:

Marriott Hotel, Islamabad
Serena Hotel, Islamabad
Serena Hotel, Kabul
Serena Hotel, Sawat
Serena Hotel, Quetta
Serena Hotel, Gilgit
Serena Hotel, Faisalabad
Serena Hotel, Peshawar
Serena Hotel, Sawat
Shiggar Fort, Shiggar, Gilgit Baltistan
Khapploo Fort, Khapploo, Gilgit Baltistan
Air Head Quarter Islamabad
Avari Xpress, Islamabad
Islamabad Hotel, Islamabad
Embassy Lodge Hotel, Islamabad
Best Western Hotel, Islamabad
Grand Embassy Hotel, Islamabad
Executive Hotel, Islamabad
Envoy Continental Hotel, Islamabad
China Town Islamabad
Modernway Dry Cleaners, Islamabad
Hill View Hotel, Islamabad
Regalia Hotel, Islamabad

Rawalpindi Institute of Cardiology
Combine Military Hospital, Rawalpindi
Fauji Foundation Hospital Rawalpindi
Quaid-e-Azam International Hospital
Shiffa International Hospital
Corona Center, Islamabad
Kulsoom International Hospital, Islamabad

Islamabad Club, Islamabad
Pearl Continental Hotel, Lahore
Pearl Continental Hotel, Rawalpindi
Pearl Continental Hotel, Bhurban
Pearl Continental Hotel, Muzaffarabad
Pearl Continental Hotel, Peshawar
Pearl Continental Hotel, Malamjabba
Centaurus Mall, Islamabad
Giga Mall, Islamabad
Margalla Hotel, Islamabad
Jacaranda DHA Club, Rawalpindi
Garrison Officers Mess, Rawalpindi
Blue Lagoon, Rawalpindi
Artillery Officer Mess, Rawalpindi
Royalton Hotel Rawalpindi
Hotel Grand Arena Rawalpindi
Akbar International Hottel, Rawalpindi
Pak Palace Hotel, Islamabad
Ramada Hotel, Islamabad
Ramada Hotel, Multan
Ramada One Hotel, Murree
Flaetti's Hotel, Multan
Flaetti's Hotel, Murree
Roomy Signature Hotel, Islamabad
The Legend Hotel, Islamabad
Crown Plaza Hotel, Islamabad
Rawalpindi Gymkhana Club
Monal Islamabad
Paragon Dry Cleaner, Chakwal
Demanchi Hotel, Naran
Honeymoon Hotel, Swat

We Look Forward Hearing From You

Contact us: G.P.O. Box No. 1020, Rwp.
Tel: 051-5503203, Fax: 051-5953130
Mob: 0321-8502997, 0333-2158113
E-mail: ar_sons@hotmail.com

